MALIBU LAGOON CHECKLIST Date/Time_	Conditions	MALIBU LAGOON CHECKLIST Date/Time_	Conditions_
FWSs 27% (Black) Brant	FWSs 95% Killdeer	FWSs 27% (Black) Brant	FWSs 95% Killdeer
FWS 7% Canada Goose	FWSs 85% Whimbrel	FWS 7% Canada Goose	FWSs 85% Whimbrel
FWS 5% Cinnamon Teal	Fs 3% Long-billed Curlew	FWS 5% Cinnamon Teal	Fs 3% Long-billed Curlew
FWS 51% Northern Shoveler	FWSs 63% Marbled Godwit	FWS 51% Northern Shoveler	FWSs 63% Marbled Godwit
FWSs 86% Gadwall	FWSs 71% Ruddy Turnstone	FWSs 86% Gadwall	FWSs 71% Ruddy Turnstone
FWS 45% American Wigeon	FWSs 14% Black Turnstone	FWS 45% American Wigeon	FWSs 14% Black Turnstone
FWSs 100% Mallard	FWSs 49% Sanderling	FWSs 100% Mallard	FWSs 49% Sanderling
FW 16% Northern Pintail	FS 10% Dunlin	FW 16% Northern Pintail	FS 10% Dunlin
FWS 43% Green-winged Teal	FWSs 55% Least Sandpiper	FWS 43% Green-winged Teal	FWSs 55% Least Sandpiper
FW 6% Lesser Scaup	F 3% Pectoral Sandpiper	FW 6% Lesser Scaup	F 3% Pectoral Sandpiper
FWS 28% Surf Scoter	FWS 37% Western Sandpiper	FWS 28% Surf Scoter	FWS 37% Western Sandpiper
FWS 33% Bufflehead	FSs 10% Short-billed Dowitcher	FWS 33% Bufflehead	FSs 10% Short-billed Dowitcher
FW 4% Hooded Merganser	FS 10% Long-billed Dowitcher	FW 4% Hooded Merganser	FS 10% Long-billed Dowitcher
FWSs 57% Red-breasted Merganser	FWSs 70% Spotted Sandpiper	FWSs 57% Red-breasted Merganser	FWSs 70% Spotted Sandpiper
FWS 63% Ruddy Duck	FWSs 87% Willet	FWS 63% Ruddy Duck	FWSs 87% Willet
FWSs 85% Pied-billed Grebe	FWSs 9% Greater Yellowlegs	FWSs 85% Pied-billed Grebe	FWSs 9% Greater Yellowlegs
FWS 25% Horned Grebe	FWSs 29% Bonaparte's Gull	FWS 25% Horned Grebe	FWSs 29% Bonaparte's Gull
FWS 48% Eared Grebe	FWSs 89% Heermann's Gull	FWS 48% Eared Grebe	FWSs 89% Heermann's Gull
FWSs 61% Western Grebe	FWS 7% Mew Gull	FWSs 61% Western Grebe	FWS 7% Mew Gull
FW 4% Clark's Grebe	FWSs 75% Ring-billed Gull	FW 4% Clark's Grebe	FWSs 75% Ring-billed Gull
FWSs 95% Rock Pigeon	FWSs 99% Western Gull	FWSs 95% Rock Pigeon	FWSs 99% Western Gull
FS 5% Eurasian Collared-Dove	FWSs 87% California Gull	FS 5% Eurasian Collared-Dove	FWSs 87% California Gull
FWSs 78% Mourning Dove	FWS 20% Herring Gull	FWSs 78% Mourning Dove	FWS 20% Herring Gull
FS 3% Vaux's Swift	FWS 39% Glaucous-winged Gull	FS 3% Vaux's Swift	FWS 39% Glaucous-winged Gull
FWSs 77% Anna's Hummingbird	Ss 10% Least Tern	FWSs 77% Anna's Hummingbird	Ss 10% Least Tern
FWSs 95% Allen's Hummingbird	FWSs 48% Caspian Tern	FWSs 95% Allen's Hummingbird	FWSs 48% Caspian Tern
FWSs 10% Virginia Rail	FSs 5% Common Tern	FWSs 10% Virginia Rail	FSs 5% Common Tern
FWSs 30% Sora	FWSs 33% Forster's Tern	FWSs 30% Sora	FWSs 33% Forster's Tern
FWSs 96% American Coot	FWSs 74% Royal Tern	FWSs 96% American Coot	FWSs 74% Royal Tern
FS 3% Black-necked Stilt	FSs 65% Elegant Tern	FS 3% Black-necked Stilt	FSs 65% Elegant Tern
FW 14% American Avocet	Ws 16% Black Skimmer	FW 14% American Avocet	Ws 16% Black Skimmer
W 13% Black Oystercatcher	FWS 17% Red-throated Loon	W 13% Black Oystercatcher	FWS 17% Red-throated Loon
FWSs 82% Black-bellied Plover	FWS 37% Pacific Loon	FWSs 82% Black-bellied Plover	FWS 37% Pacific Loon
FWSs 77% Snowy Plover	FW 26% Common Loon	FWSs 77% Snowy Plover	FW 26% Common Loon
FWs 29% Semipalmated Plover	FW 7% Black-vented Shearwater	FWs 29% Semipalmated Plover	FW 7% Black-vented Shearwater

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

MALIBU LAGOON CHECKLIS	ST Date/Time	Conditions	MALIBU LA	AGOON CHECKLIST	Date/Time	Con	ditions
FWSs 27% (Black) Bra	nt FWSs	95% Killdeer	FWSs	27% (Black) Brant		FWSs 95	% Killdeer
FWS 7% Canada Go	oose FWSs	85% Whimbrel	FWS	7% Canada Goose	Э	FWSs 85	% Whimbrel
FWS 5% Cinnamon	Teal Fs	3% Long-billed Curlew	FWS	5% Cinnamon Tea	ıl	Fs 3	% Long-billed Curlew
FWS 51% Northern S	hoveler FWSs	63% Marbled Godwit	FWS	51% Northern Shov	eler	FWSs 63	% Marbled Godwit
FWSs 86% Gadwall	FWSs	71% Ruddy Turnstone	FWSs	86% Gadwall		FWSs 71	% Ruddy Turnstone
FWS 45% American V	Vigeon FWSs	14% Black Turnstone	FWS	45% American Wige	eon	FWSs 14	% Black Turnstone
FWSs 100% Mallard	FWSs	49% Sanderling	FWSs	100% Mallard		FWSs 49	% Sanderling
FW 16% Northern P	intail FS	10% Dunlin	FW	16% Northern Pinta	il	FS 10	% Dunlin
FWS 43% Green-wind	ged Teal FWSs	55% Least Sandpiper	FWS	43% Green-winged	Teal	FWSs 55	% Least Sandpiper
FW 6% Lesser Sca	nup F	3% Pectoral Sandpiper	FW	6% Lesser Scaup		F 3	% Pectoral Sandpiper
FWS 28% Surf Scoter	FWS	37% Western Sandpiper	FWS	28% Surf Scoter		FWS 37	% Western Sandpiper
FWS 33% Bufflehead	FSs	10% Short-billed Dowitcher	FWS	33% Bufflehead		FSs 10	% Short-billed Dowitcher
FW 4% Hooded Me	erganser FS	10% Long-billed Dowitcher	FW	4% Hooded Merga	anser	FS 10	% Long-billed Dowitcher
FWSs 57% Red-breast	ed Merganser FWSs	70% Spotted Sandpiper	FWSs	57% Red-breasted	Merganser	FWSs 70	% Spotted Sandpiper
FWS 63% Ruddy Duc	k FWSs	87% Willet	FWS	63% Ruddy Duck	•	FWSs 87	% Willet
FWSs 85% Pied-billed	Grebe FWSs	9% Greater Yellowlegs	FWSs	85% Pied-billed Gre	ebe	FWSs 9	% Greater Yellowlegs
FWS 25% Horned Gre	ebe FWSs	29% Bonaparte's Gull	FWS	25% Horned Grebe		FWSs 29	% Bonaparte's Gull
FWS 48% Eared Greb	pe FWSs	89% Heermann's Gull	FWS	48% Eared Grebe		FWSs 89	% Heermann's Gull
FWSs 61% Western G	rebe FWS	7% Mew Gull	FWSs	61% Western Grebe	е	FWS 7	% Mew Gull
FW 4% Clark's Gre	be FWSs	75% Ring-billed Gull	FW	4% Clark's Grebe		FWSs 75	% Ring-billed Gull
FWSs 95% Rock Piged	n FWSs	99% Western Gull	FWSs	95% Rock Pigeon		FWSs 99	% Western Gull
FS 5% Eurasian C	ollared-Dove FWSs	87% California Gull	FS	5% Eurasian Colla	red-Dove	FWSs 87	% California Gull
FWSs 78% Mourning D	Dove FWS	20% Herring Gull	FWSs	78% Mourning Dove	Э	FWS 20	% Herring Gull
FS 3% Vaux's Swi	ft FWS	39% Glaucous-winged Gull	FS	3% Vaux's Swift		FWS 39	% Glaucous-winged Gull
FWSs 77% Anna's Hur	nmingbird Ss	10% Least Tern	FWSs	77% Anna's Hummi	ngbird	Ss 10	% Least Tern
FWSs 95% Allen's Hun	nmingbird FWSs	48% Caspian Tern	FWSs	95% Allen's Hummir	ngbird	FWSs 48	% Caspian Tern
FWSs 10% Virginia Ra	il FSs	5% Common Tern	FWSs	10% Virginia Rail		FSs 5	% Common Tern
FWSs 30% Sora	FWSs	33% Forster's Tern	FWSs	30% Sora		FWSs 33	% Forster's Tern
FWSs 96% American 0	Coot FWSs	74% Royal Tern	FWSs	96% American Cool	t	FWSs 74	% Royal Tern
FS 3% Black-neck	ed Stilt FSs	65% Elegant Tern	FS	3% Black-necked	Stilt	FSs 65	% Elegant Tern
FW 14% American A	Avocet Ws	16% Black Skimmer	FW	14% American Avoc	cet	Ws 16	% Black Skimmer
W 13% Black Oyst		17% Red-throated Loon	W	13% Black Oysterca	atcher		% Red-throated Loon
FWSs 82% Black-bellie	ed Plover FWS	37% Pacific Loon	FWSs	82% Black-bellied P	Plover	FWS 37	% Pacific Loon
FWSs 77% Snowy Ploy	ver FW	26% Common Loon	FWSs	77% Snowy Plover		FW 26	% Common Loon
FWs 29% Semipalma	ted Plover FW	7% Black-vented Shearwater	FWs	29% Semipalmated	Plover	FW 7	% Black-vented Shearwate

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

MALIBU LA	GOON	CHECKLIST Date/Time		_ Con	ditions
FWSs	54%	Brandt's Cormorant	FSs	30%	House Wren
FWSs	100%	Double-crested Cormorant	FWS	17%	Marsh Wren
FWSs	52%	Pelagic Cormorant	FWs	31%	Bewick's Wren
FWSs	100%	Brown Pelican	FW	6%	Blue-gray Gnatcatcher
FWSs	94%	Great Blue Heron	FW	22%	Ruby-crowned Kinglet
FWSs	90%	Great Egret	S		Wrentit
FWSs	100%	Snowy Egret	W	10%	Hermit Thrush
FWSs		Green Heron	Ss	8%	American Robin
FWSs	52%	Black-crowned Night-Heron	 FWSs	92%	Northern Mockingbird
FSs	8%	Turkey Vulture	FWSs	90%	European Starling
FWSs		Osprey	 S	3%	Cedar Waxwing
Ss	7%	White-tailed Kite	 FWSs	4%	House Sparrow
FWSs		Cooper's Hawk	 F	3%	American Pipit
FWSs	18%	Red-shouldered Hawk	 FWSs	94%	House Finch
FWSs	43%	Red-tailed Hawk	 FWSs	53%	Lesser Goldfinch
FWSs		Belted Kingfisher	 W		American Goldfinch
FWSs		American Kestrel	FWSs		Spotted Towhee
FW	10%	Merlin	 FWSs	64%	California Towhee
FW		Peregrine Falcon	 FWs		Savannah Sparrow
W		Nanday Parakeet	 FWSs		Song Sparrow
FS		Pacific-slope Flycatcher	 FWs		Lincoln's Sparrow
FWSs		Black Phoebe	 FWS		White-crowned Sparrow
FWS		Say's Phoebe	 FWS	,,	Western Meadowlark
FWSs		Cassin's Kingbird	 Ss		Hooded Oriole
FSs		Western Kingbird	 Ss		Bullock's Oriole
FWSs		California Scrub-Jay	 FWSs		Red-winged Blackbird
FWSs		American Crow	 FSs	,,	Brown-headed Cowbird
FWSs		Common Raven	 FWSs	,.	Brewer's Blackbird
FWSs	, .	Tree Swallow	FWSs		Great-tailed Grackle
FS		Violet-green Swallow	 FWSs		Orange-crowned Warbler
FWSs		Rough-winged Swallow	 FWSs		Common Yellowthroat
Ss		Cliff Swallow	 F	-,-	Yellow Warbler
FWSs		Barn Swallow	FWS		Yellow-rumped(Aud) Warbler
FWSs		Oak Titmouse	 FW	. , .	Townsend's Warbler
FWSs	71%	Bushtit	 FS	9%	Wilson's Warbler

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

MALIBU LAGOON	I CHECKLIST Date/Time		Condi	tions
FWSs 54%	Brandt's Cormorant	FSs	30%	House Wren
FWSs 100%	Double-crested Cormorant	FWS	17%	Marsh Wren
FWSs 52%	Pelagic Cormorant	FWs	31%	Bewick's Wren
FWSs 100%	Brown Pelican	FW	6%	Blue-gray Gnatcatcher
	Great Blue Heron	FW	22%	Ruby-crowned Kinglet
FWSs 90%		S	5%	Wrentit
FWSs 100%	Snowy Egret	W	10%	Hermit Thrush
FWSs 8%	Green Heron	Ss	8%	American Robin
FWSs 52%	Black-crowned Night-Heron	FWSs	92%	Northern Mockingbird
	Turkey Vulture	FWSs	90%	European Starling
FWSs 41%	Osprey	S	3%	Cedar Waxwing
Ss 7%	White-tailed Kite	FWSs	4%	House Sparrow
FWSs 18%	Cooper's Hawk	F	3%	American Pipit
FWSs 18%	Red-shouldered Hawk	FWSs	94%	House Finch
FWSs 43%	Red-tailed Hawk	FWSs	53%	Lesser Goldfinch
FWSs 45%	Belted Kingfisher	W	3%	American Goldfinch
FWSs 15%	American Kestrel	FWSs	29%	Spotted Towhee
FW 10%	Merlin	FWSs	64%	California Towhee
FW 17%	Peregrine Falcon	FWs	19%	Savannah Sparrow
W 6%	Nanday Parakeet	FWSs	98%	Song Sparrow
FS 3%	Pacific-slope Flycatcher	FWs	9%	Lincoln's Sparrow
FWSs 98%	Black Phoebe	FWS	47%	White-crowned Sparrow
	Say's Phoebe	FWS	28%	Western Meadowlark
FWSs 13%	Cassin's Kingbird	Ss	18%	Hooded Oriole
	Western Kingbird	Ss	10%	Bullock's Oriole
FWSs 26%	California Scrub-Jay	FWSs	45%	Red-winged Blackbird
FWSs 99%	American Crow	FSs		Brown-headed Cowbird
	Common Raven	FWSs	17%	Brewer's Blackbird
	Tree Swallow	FWSs		Great-tailed Grackle
FS 5%	Violet-green Swallow	FWSs	26%	Orange-crowned Warbler
FWSs 49%	Rough-winged Swallow	FWSs	90%	Common Yellowthroat
Ss 36%	Cliff Swallow	F	5%	Yellow Warbler
FWSs 51%	Barn Swallow	FWS	50%	Yellow-rumped(Aud) Warbler
FWSs 17%	Oak Titmouse	FW	7%	Townsend's Warbler
FWSs 71%	Bushtit	FS	9%	Wilson's Warbler

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

MALIBU LAGOON CHECKLIST Date/Time_	Conditions
FWSs 54% Brandt's Cormorant	FSs 30% House Wren
FWSs 100% Double-crested Cormorant	FWS 17% Marsh Wren
FWSs 52% Pelagic Cormorant	FWs 31% Bewick's Wren
FWSs 100% Brown Pelican	FW 6% Blue-gray Gnatcatcher
FWSs 94% Great Blue Heron	FW 22% Ruby-crowned Kinglet
FWSs 90% Great Egret	s 5% Wrentit
FWSs 100% Snowy Egret	W 10% Hermit Thrush
FWSs 8% Green Heron	Ss 8% American Robin
FWSs 52% Black-crowned Night-Heron	FWSs 92% Northern Mockingbird
FSs 8% Turkey Vulture	FWSs 90% European Starling
FWSs 41% Osprey	S 3% Cedar Waxwing
Ss 7% White-tailed Kite	FWSs 4% House Sparrow
FWSs 18% Cooper's Hawk	F 3% American Pipit
FWSs 18% Red-shouldered Hawk	FWSs 94% House Finch
FWSs 43% Red-tailed Hawk	FWSs 53% Lesser Goldfinch
FWSs 45% Belted Kingfisher	W 3% American Goldfinch
FWSs 15% American Kestrel	FWSs 29% Spotted Towhee
FW 10% Merlin	FWSs 64% California Towhee
FW 17% Peregrine Falcon	FWs 19% Savannah Sparrow
W 6% Nanday Parakeet	FWSs 98% Song Sparrow
FS 3% Pacific-slope Flycatcher	FWs 9% Lincoln's Sparrow
FWSs 98% Black Phoebe	FWS 47% White-crowned Sparrow
FWS 42% Say's Phoebe	FWS 28% Western Meadowlark
FWSs 13% Cassin's Kingbird	Ss 18% Hooded Oriole
FSs 12% Western Kingbird	Ss 10% Bullock's Oriole
FWSs 26% California Scrub-Jay	FWSs 45% Red-winged Blackbird
FWSs 99% American Crow	FSs 25% Brown-headed Cowbird
FWSs 7% Common Raven	FWSs 17% Brewer's Blackbird
FWSs 11% Tree Swallow	FWSs 72% Great-tailed Grackle
FS 5% Violet-green Swallow	FWSs 26% Orange-crowned Warbler
FWSs 49% Rough-winged Swallow	FWSs 90% Common Yellowthroat
Ss 36% Cliff Swallow	F 5% Yellow Warbler
FWSs 51% Barn Swallow	FWS 50% Yellow-rumped(Aud) Warbler
FWSs 17% Oak Titmouse	FW 7% Townsend's Warbler
FWSs 71% Bushtit	FS 9% Wilson's Warbler

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE

MALIBU LAGOON CHECKLIST Date/Time	Conditions
FWSs 54% Brandt's Cormorant	FSs 30% House Wren
FWSs 100% Double-crested Cormorant	FWS 17% Marsh Wren
FWSs 52% Pelagic Cormorant	FWs 31% Bewick's Wren
FWSs 100% Brown Pelican	FW 6% Blue-gray Gnatcatcher
FWSs 94% Great Blue Heron	FW 22% Ruby-crowned Kinglet
FWSs 90% Great Egret	s 5% Wrentit
FWSs 100% Snowy Egret	W 10% Hermit Thrush
FWSs 8% Green Heron	Ss 8% American Robin
FWSs 52% Black-crowned Night-Heron	FWSs 92% Northern Mockingbird
FSs 8% Turkey Vulture	FWSs 90% European Starling
FWSs 41% Osprey	S 3% Cedar Waxwing
Ss 7% White-tailed Kite	FWSs 4% House Sparrow
FWSs 18% Cooper's Hawk	F 3% American Pipit
FWSs 18% Red-shouldered Hawk	FWSs 94% House Finch
FWSs 43% Red-tailed Hawk	FWSs 53% Lesser Goldfinch
FWSs 45% Belted Kingfisher	W 3% American Goldfinch
FWSs 15% American Kestrel	FWSs 29% Spotted Towhee
FW 10% Merlin	FWSs 64% California Towhee
FW 17% Peregrine Falcon	FWs 19% Savannah Sparrow
W 6% Nanday Parakeet	FWSs 98% Song Sparrow
FS 3% Pacific-slope Flycatcher	FWs 9% Lincoln's Sparrow
FWSs 98% Black Phoebe	FWS 47% White-crowned Sparrow
FWS 42% Say's Phoebe	FWS 28% Western Meadowlark
FWSs 13% Cassin's Kingbird	Ss 18% Hooded Oriole
FSs 12% Western Kingbird	Ss 10% Bullock's Oriole
FWSs 26% California Scrub-Jay	FWSs 45% Red-winged Blackbird
FWSs 99% American Crow	FSs 25% Brown-headed Cowbird
FWSs 7% Common Raven	FWSs 17% Brewer's Blackbird
FWSs 11% Tree Swallow	FWSs 72% Great-tailed Grackle
FS 5% Violet-green Swallow	FWSs 26% Orange-crowned Warbler
FWSs 49% Rough-winged Swallow	FWSs 90% Common Yellowthroat
Ss 36% Cliff Swallow	F 5% Yellow Warbler
FWSs 51% Barn Swallow	FWS 50% Yellow-rumped(Aud) Warbler
FWSs 17% Oak Titmouse	FW 7% Townsend's Warbler
FWSs 71% Bushtit	FS 9% Wilson's Warbler

<sup>% -</sup> Frequency seen on 115 visits Oct 2007 - Sep 2017 (F)all (W)inter (S)pring (s)ummer SANTA MONICA BAY AUDUBON SOCIETY - SMBASBLOG.COM - SMBAUDUBON@GMAIL.COM COMPLETE FIELD TRIP & PROGRAM LIST - SMBASBLOG.COM/SCHEDULE